


FirePro®

Fire Extinguishing Aerosol Systems



Space Technology
For **Protecting**
Space On Earth



environment friendly

Spreading

The

Technological

Advance

Our Products Are:

- Non - Toxic
- Non - Conductive
- No Oxygen Depletion
- Global Warming Potential = 0
- Ozone Depletion Potential = 0
- Atmospheric Lifetime = Negligible
- CFC Free
- ISO 14001 Certified



APPLICATIONS


- Archives
- Raised Floors
- Suspended Ceilings
- Plant Rooms
- Electrical Sub-Stations
- Computer Rooms
- Data Rooms
- UPS Systems
- Electrical Panels
- Electrical Cabinets
- Soldering Machines
- TV Sets, PC Screens
- Personal Computers
- Marine Vessels
- Cars
- Trains

...and many more...

Home
Office
Marine
Industry
Commerce
Transportation



Every year fire causes the loss of many lives and damage to assets and property worth billions of dollars.



The Environmentally Friendly Material Used Is The Result Of Many Years Of Research And Development In One Of The World's Leading Institutes Of Technology



FirePro®

Conventional agents employ depletion of oxygen and/or cooling to extinguish fire. **FirePro**® aerosol inhibits the chain chemical reactions present in fire. By removing the flame free radicals it extinguishes fire without depleting oxygen.



The **FirePro**® Principle



FirePro®

Fire Extinguishing Aerosol Systems

Leaders in Condensed Aerosol Technology.

All **FirePro®** Fire Extinguishing Aerosol systems use the latest generation of the stable SBK aerosol forming solid compound (it does not contain pyrotechnic materials such as nitro-guanidine or nitro-cellulose). Upon activation the solid compound is transformed into a rapidly expanding, highly efficient and highly effective, fire extinguishing aerosol, based on Potassium salts.

- Efficient
- Cost Effective
- Environment Friendly
- Halon Alternative

The ability to effectively combat fire is not a matter of unnecessary expense in a luxury product. It is a sound investment, that may prove to be of vital importance.

- Autonomous & Automatic. There Is No Need For External Electrical Or Pressure Supply.
- The Coolant Is A Natural Mineral. There Is No Danger Of Blockage Of The Outlet.
- Greater Efficiency & Effectiveness Than Other Systems.
- Does Not Damage Property, Machinery, Electronics.
- Its Built-In Activation System Ensures Operation.
- Activated Electrically, Thermally, Manually.
- Subject To Negligible Maintenance Costs.
- Non-Pressurised Containers.
- Space & Weight Saving.
- Easy Installation.

Striving
For A
SAFER
WORLD



Some of Our Clients

FP 8
Gross Weight(gr): 14
Net Weight(gr): 8
Dimensions(mm): 14 x 52 Dia.



FP 20 & 20E
Gross Weight(gr): 100 & 105
Net Weight(gr): 20
Dimensions(mm): 128 x 30 Dia.



FP 80
Gross Weight(gr): 800
Net Weight(gr): 80
Dimensions(mm): 180 x 50 Dia.



FP 100
Gross Weight(gr): 1,060
Net Weight(gr): 100
Dimensions(mm): 115 x 88 Dia.



FP 200
Gross Weight(gr): 1,450
Net Weight(gr): 200
Dimensions(mm): 145 x 88 Dia.



FP 500
Gross Weight(gr): 2,670
Net Weight(gr): 500
Dimensions(mm): 260 x 88 Dia.



FP 100 S
Gross Weight(gr): 1,270
Net Weight(gr): 100
Dimensions(mm): 120 x 84 Dia.
For total height add 35mm to include connector housing.



FP 200 S
Gross Weight(gr): 1,630
Net Weight(gr): 200
Dimensions(mm): 150 x 84 Dia.
For total height add 35mm to include connector housing.




FP 500 S
Gross Weight(gr): 2,850
Net Weight(gr): 500
Dimensions(mm): 260 x 84 Dia.
For total height add 35mm to include connector housing.



FP 1200C
Gross Weight(gr): 5,780
Net Weight(gr): 1,200
Dimensions(mm): 670 x 85 Dia.



FP 2000
Gross Weight(gr): 14,100
Net Weight(gr): 2,000
Dimensions(mm): 300 x 300 x 185



FP 3000
Gross Weight(gr): 15,000
Net Weight(gr): 3,000
Dimensions(mm): 300 x 300 x 185



FP 5700
Gross Weight(gr): 23,700
Net Weight(gr): 5,700
Dimensions(mm): 300 x 300 x 300



Our Products Are:

- Automatic & Autonomous
- Easily Installed
- Simple Maintenance
- Space & Weight Saving
- Fixed Total Flooding Systems
- Local/Internal Protection Systems
- Non - Pyrotechnic
- Ozone & Environment Friendly
- Non - Pressurized Containers

Classes of Fire



FirePro®
Fire Extinguishing Aerosol Systems

FirePro Systems Ltd
Distributorships Worldwide

Albania	Estonia	Malaysia	Sudan
Algeria	Fyrom	Netherlands	Sweden
Argentina	Greece	New Zealand	Switzerland
Australia	Hong Kong	Nigeria	Syria
Bahrain	Hungary	Norway	Taiwan
Belgium	Iceland	Oman	Thailand
Brazil	India	Philippines	Tunisia
Bulgaria	Indonesia	Poland	U.A.E
Canada	Iran	Qatar	United Kingdom
Chile	Italy	Romania	Uruguay
Croatia	Jordan	Singapore	Venezuela
Cyprus	Kenya	South Africa	
Denmark	Korea	Spain	
Egypt	Luxembourg	Sri Lanka	

FirePro®

6 Koumandarias & Spyrou Araouzos Str.
Tonia Court, 6th Floor, Limassol 3036 Cyprus

P.O. Box 54080, Limassol 3720, Cyprus

Tel: +357 25 379 999

Fax: +357 25 354 432

Email: mail@firepro.info

Web: www.firepro.info

Certified, Listed,
Approved by:



design : goblanWera.com :